


H-FLAME BATTERY

HERRMANS® H-FLAME Battery rear LED light is equipped with the exclusive light guide technology. Available in ON/OFF and AUTO version. The light is durable and is instantly noticeable, visibility increases safety. The H-FLAME fulfills a number of European road traffic regulations.



Not all products are available in all markets. During continuous improvement specifications and design are changing. All values are nominal values. Illustrations do not necessarily show the design of every version and some features are version specific.


TECHNICAL DATA

Power Source	Battery (2x AA)	Mounting Distance	50 mm
Nominal Voltage DC	3 V	Housing	Plastic
Power Consumption	0.13 W	Salt Spray Test	ISO 9227 NSS 240H
Number of LED's	3	Type approval (light)	France (TP RPBi)
Battery Run-time	Ca 80h / Low batt indicator 50h (French req.)	Type approval (reflector)	E IV A, BS
Operating modes	On/Off	Packaging Amount	90 pce/box, Approx. 12,5 kg total
Mounting Options	Carrier		


KEY FEATURES

- Batteries included, Low battery indicator
- Durable rear light
- Instantly noticeable equipped with exclusive light guide technology

DRAWINGS



ASSEMBLY OPTIONS



Integrated screws 50mm



Snap-in railsbracket 50mm