


# H-TRACE E-BIKE

## 6-12V

HERRMANS® H-Trace e-bike rear-light 6-12V, has a modern and compact design with durable construction. Instantly noticeable with dual light sources and 220° side visibility for increased safety. The H-TRACE fulfils a number of European road traffic regulations. The German Magazine Aktiv Radfahren awarded HERRMANS® H-TRACE Dynamo version with the grade "recommended" in their test of 15 current LED rear lights with German StVZO approvals in issue 11-12/2016. The magazine states in their comments: "Several best results. The Nordic H-Trace get the best results when it comes to visibility, brightness and consumption. For us a clear recommendation."



Not all products are available in all markets. During continuous improvement specifications and design are changing. All values are nominal values. Illustrations do not necessarily show the design of every version and some features are version specific.


### TECHNICAL DATA

Power Source	<b>E-bike</b>	Mounting Distance	<b>50 mm</b>
Nominal Voltage DC	<b>6 - 12 V</b>	Housing	<b>Plastic</b>
Power Consumption	<b>0.2 - 0.5 W</b>	Salt Spray Test	<b>ISO 9227 NSS 240H</b>
Input connector type	<b>0,5 x 2,8mm cable shoes/power-input-slide</b>	Type approval (light)	<b>Germany (StVZO), France (TP RBi)</b>
Number of LED's	<b>2</b>	Type approval (reflector)	<b>Z, E-IA</b>
Operating modes	<b>On</b>	EMC	<b>EN 15194</b>
Mounting Options	<b>Carrier</b>	Packaging Amount	<b>144 pce/box, Approx. 6,5 kg total</b>

### KEY FEATURES

- Modern and compact design
- 220° side visibility for increased safety
- Instantly noticeable with dual lightsources

## DRAWINGS



## ASSEMBLY OPTIONS



Integrated screws 50mm



Snap-in railsbracket 50mm