



# WHERE SUCCESS IS BORN

Herrmans is a success story from Finland's friendly and entrepreneurially-spirited West Coast. Starting with the production of our very first bike component in 1959, we believed in the creative power of innovation. Our founder, Bernhard Herrmans, realized the potential of the very first product, the rim tape, and had the foresight to automatize production early on. This entrepreneurial mindset remains strong in the company to this day. Herrmans has now been thriving for 60 years and possesses a wide variety of cutting-edge products in its premium product portfolio.

# HIGH-TECH EXPERTISE

Today we are proud to be a modern and innovative high-tech power house that offers world class solutions for the bike industry. We believe that our success is derived not only from one factor but the sum of many things we have done right over the years.

However, if we had to choose, our R&D department and the creative work culture we have been fostering for decades are the main contributors to our success.

Innovation has always been the DNA of Herrmans Ltd. Through development and a curious mindset, we have gained extensive know-how in plastic technology, optics and light patterns. We have our own in-house lab for engineers, featuring a vibration testing lab, light lab, electronics lab, salt spray lab and CT scanner where we develop and test our latest products.

# BROAD PRODUCT RANGE

We design and manufacture lights, grips, chain guards, reflectors and rim tapes of premium quality and take pride in co-creating many of our products with our customers. In this catalogue you will find our latest product innovations. If you are looking for a specific product category or item, or just want to look up a detail, you will find that piece of interesting information on our new web site

[www.herrmans.eu](http://www.herrmans.eu)



# BRIGHT IDEAS FROM THE NORTH

Visit our website!



## FIND WHAT YOU NEED CONTENT

Not all of the following products are available in all markets. During constant improvement specifications and design are changing. All values are nominal values. Illustrations do not necessarily show the design of every version. Some features are version specific. For packaging information please visit [www.herrmans.eu](http://www.herrmans.eu)



6 LIGHTS



13 GRIPS



17 CHAIN GUARDS



22 REFLECTORS




24 RIM TAPES

## CHOOSE YOUR FAVORITE COLOR OPTIONS

Our grips and chainguards can be made in any colour, on request. We hold stock of frequently requested colours, as listed below. We can also colour match any Pantone (PMS). Please ask our team for further information.



GRIPS  
multiple or single colour



ALLOY LOCKRINGS  
on grips



CHAIN GUARDS  
multiple or single colour



TAIL PIECES  
on chain guards

	black / Process Black
	white / Traffic White
	grey / Cool Grey 11
	yellow / PMS-108C
	orange / PMS-1665
	red / PMS-200
	purple / PMS-253
	lime / PMS-375
	green / PMS-363
	blue / PMS-295
	brown / PMS-469

	black / Process Black
	white / Traffic White
	grey / Cool Grey 11
	red / PMS-194
	green / PMS-355
	blue / PMS-301
	matt-silver
	gold
	titanium-grey

	black
	white
	transparent
	silver
	lightsmoke
	darksmoke

	black
	white
	transparent
	darksmoke

# FRONT LIGHTS

That the cyclist is seen while riding is very important. But the cyclist must also see the terrain ahead properly, so we have focused our expertise on optimizing the light- output and pattern. For improved safety, our front bike lights are also equipped with side windows to increase visibility. The materials we use are durable so that the end users get a front bicycle light that performs well in all kinds of weather. When you turn to us, you get a reliable partner that takes even the strictest market regulations into consideration.

## OUR FRONT LIGHT STAR *H-BLACK PRO*

Our design award-winning light, H-Black Pro, is featured with patent pending Projector Technology (P-Tech). P-Tech features extremely high optical efficiency and a precise 100 % guidance of light. The H-Black Pro is optimized for the rider with a superior light output and a focused light beam with a sharp cut of line not to blend opposite traffic.

The elegant contemporary alloy provides both robustness and excellent cooling of the LED. The dynamo version offers non-flickering light output even at slow speed.



1

**ALLOY HOUSING**  
for excellent cooling  
of LEDs.

2

**MANY BRACKET  
OPTIONS**  
Stem, fork or many  
other alternatives to  
choose from.

3

**QUALITATIVE  
ELECTRONICS**  
Both for dynamo and  
e-bikes. Light output  
up to 230 lumens.  
German (StVZO  
approved).

4

**MODERN DESIGN**  
Small and elegant but  
still robust.

5

**E I A, K  
APPROVALS**  
With small click-in  
reflector.

6

**PROJECTOR  
TECHNOLOGY**  
The P-Tech feature  
offers extremely high  
optical efficiency.



H-BLACK PRO



H-BLACK MR8



H-BLACK MR4


**DISCOVER  
*H-BLACK FAMILY***

# H-BLACK FAMILY




## H-BLACK PRO

Versions	H-Black Pro dynamo: on/off standlight H-Black Pro e-bike: on, 6–12 V DC
Approvals light	Germany (StVZO)
Approvals reflector	EIA, K
Light output	200/230 lumen
Features	available as dynamo or e-bike version, click-in reflector, projector technology, dazzle free with sharp cut off line




## H-BLACK MR8

Versions	H-Black MR8 dynamo: on/off standlight H-Black MR8 e-bike: on, 6–12 V DC
Approvals light	Germany (StVZO), France, TP LBI
Approvals reflector	EIA, K
Light output	180/200 lumen
Features	available as dynamo or e-bike version, click-in-reflector, mirror reflector, wide and sharp near field illumination, also available as top mounted






## H-BLACK MR4

Versions	H-Black MR4 dynamo: on/off standlight H-Black MR4 e-bike: on, 6–12 V DC
Approvals light	Germany (StVZO), France, TP LBI
Approvals reflector	EIA, K
Light output	100/120 lumen
Features	available as dynamo or e-bike version, click-in-reflector, mirror reflector



### ASSEMBLY OPTIONS





\*Standard bracket and stainless steel for rigid fork, short (also black) are not compatible with H-Black Pro.



Herrmans MR GO is our new entry level front light that uses similar optics and electronics as our H-Black MR4 front light.

## MR GO

Versions	MR GO dynamo: on/o standlight MR GO e-bike: on, 6–12 V DC
Approvals light	Germany (StVZO), France, TP LBI
Approvals reflector	EIA, K
Light output	80/100 lumen
Features	available as dynamo or e-bike version, click-in reflector (sold separately)

Assembly options	 
	standard bracket SR Suntour Ver1, fork bridge: CR8, NEX, NXC-E



# REAR LIGHTS

We believe in creating rear lights that are compatible with different kinds of bikes, whether battery, dynamo or e-bike. Fulfilling a number of European road traffic regulations, our rear lights are durable and modern with fantastic light output thanks to our exclusive light guide technology. When you need a custom-made solution for your next bike model, our in-house high-tech lighting expertise gives us the expertise to offer you the innovation you need.

## AN INTEGRATED SOLUTION H-CARGO

Herrmans H-Cargo is a modular rear-light solution that mounts seamlessly to modern carriers using a design protected alloy interface. Four LEDs provide a constant light distribution across the carrier. Thermally stable, automotive plastics have been used to create a robust light-housing suitable for extreme weather conditions. A small lip on the interface protects the light-housing from rear impacts without reducing vertical viewing angles. Top and side cut outs in the interface improves rear and side visibility for increased safety.

- 1 Modular rear-light solution that mounts seamlessly to modern carriers using a design protected alloy interface
- 2 Four LEDs provide a constant light distribution across the carrier
- 3 Thermally stable automotive plastics have been used to create a robust light-housing suitable for extreme weather conditions
- 4 A small lip on the interface protects the light housing from rear impacts without reducing vertical viewing angles
- 5 Top and side cut outs in the interface improve rear and side visibility for increased safety



### H-CARGO

Versions	H-Cargo Dynamo, on, standlight, size 120 w x 14 h mm (wide) H-Cargo Dynamo, on, standlight, size 95 w x 14 h mm (narrow) H-Cargo E-Bike, on, 6–12 V DC, size 120 w x 14 h mm (wide) H-Cargo E-Bike, on, 6–12 V DC, size 95 w x 14 h mm (narrow)
Approvals	Germany (StVZO), France (TP RBi), Denmark
Approvals reflector	EIA, K
Features	Light guide technology, 220° visibility (e-Bike and Dynamo) 1,5W and 3W HUB dynamo compatible (Dynamo)



# H-TRACE FAMILY



## H-TRACE MICRO E-BIKE

Versions	H-Trace Micro E: 6–12V DC
Homologation light	Germany (StVZO), France (TP RBi), Denmark
Features	for e-bike, 220° visibility, for mudguards, size 34 x 25 x 27 mm



## H-TRACE MINI

Versions	H-Trace Mini Dynamo: on, standlight H-Trace Mini E-bike: on, 6–12V
Homologation light	Germany (StVZO), France (TP RBi), Denmark
Homologation reflector	E I A, K
Features	available as dynamo or e-bike version, for mudguard, 220° visibility, size 24 x 34 mm



## H-TRACE E-BIKE / DYNAMO

Versions	H-Trace Dynamo: on, standlight, integr. screws 50 mm H-Trace E-bike: on 6–1V DC, integr. screws 50 mm
Homologation light	Germany (StVZO), France (TP RBi), Denmark
Homologation reflector	E I A, K
Features	available as dynamo or e-bike version, light guide technology, 220° visibility, size 91 x 45 mm



## H-TRACE BATTERY

Versions	H-Trace Battery: integr. Screws 50 mm
Homologation light	Germany (StVZO), France (TP RBi), Denmark
Homologation reflector	E I A, K
Features	on/off switch, low-battery indicator LED, easy battery change, light guide technology, 220° visibility, size 91 x 45 mm



### ASSEMBLY OPTIONS



H-Trace Mini and Micro available for mudguard



H-Trace Mini and Micro available with seatstay bracket



integrated screws 50 mm for H-Trace



snap in railsbracket 50 mm for H-Trace




# GRIPS

When we design our grips, we take such factors into account as ergonomics, comfort, safety, design and environmentally friendly materials. All our grips are produced in Europe, tested in rigorous hot water and freeze tests and fulfil all European regulations. The Herrmans TPE grips are made of European non-toxic material and are PAH, latex, natural rubber and phthalate free.



Discover the full range on our website!

## HERRMANS GRIP CATEGORIES



### ACTIVE GRIPS

give you total control during your bike ride thanks to the special patterns and structure that ensure the best shock absorption and handle. They are not only aesthetically pleasing, but also provide the rider with, increased comfort and reduction of fingertip pressure. Active grips give the rider maximum comfort and support and are perfect for off-road riding.



### COMFORT GRIPS

produced in single or dual layer in soft material to make the grip as comfortable as possible with an optimized fit for the palm to reduce shock absorption. The angle of the grip is also optimized to prevent Carpal Tunnel Syndrome and reduce the pressure on the ulnar nerve.



### LOCKABLE GRIPS

offer you choices while ensuring the most important thing, your safety. We have created lockable grips with secure mounting through safety lock rings that come in several colors and will keep your grips in place whether you are riding on extreme trails or adventuring in other demanding environments.



### KIDS GRIPS


is where safety is our number one core value. Categories as toys, our grips will cause no allergic reactions, even if your child decides to chew on them. Our bike grips for kids are also equipped with a secure outer flange to prevent the hand from slipping and to take the hit in case of a tumble to the side.

## A ROYAL COLLABORATION PRIMO

The Grip Primo Series is the successful result of the collaboration between Selle Royal and Herrmans starting in 2018. The option we give the customers with this collaboration is to match the saddle with the grip, the first parts a rider touches on the bike.

The strength of Grip Primo is the 4 layer production with cover matching technology CMT, available in seven different fabrics. We have chosen the most popular covers such as "Kennebeck Brown 8129," followed by "Renna Black 8067," "Renna Brown 8073," "Kennebeck Cream 8138," "Act.tex Black 8096" and "Act.tex, Brown Antique 8056." As limited edition you can also find "Golden Snake". The grips are easy to mount and fasten securely with our practical lock system.

Grip Primo has a great dampening ability thanks to its ergonomic shape and triple density. It has high comfort and control levels and fast angle adjustment. It is made out of European-made nontoxic materials; Phthalate, PAH, latex and natural rubber free, and is ISO/EN standard 4210-5 compliant.



**1**  
**ERGONOMIC AND VERSATILE GRIP**  
Suitable for 22 mm handlebar

**2**  
**SECURE ALLOY LOCK SYSTEM**  
The lock rings keep the grips in place and the rider safe.

**3**  
**CUSTOM-MADE END PLUG**  
Feel free to ask us to manufacture a branded end plug for you




### DISCOVER PRIMO FAMILY

ACT.TEX black, ACT.TEX brown, Renna black, Renna brown, Golden Snake, Kennebeck brown, Kennebeck cream

THE CHIC AND SPORTY ONE  
**LUNA LOCK**

The Luna Lock grip fits any standard handlebar and is thus very versatile. Depending on the bike concept and on your personal choice, it can be fitted on regular bikes, e-bikes or mountain bikes.

The rider will enjoy the tactile comfort of the pressure release at the tips as well as the secure feeling generated by its gradually grooved surface, the deeper cuts in the forefinger area and the overall sturdiness of being attached with a lock ring. The design goals met in this Luna Lock: up-to-date chic looks, a single lock ring and great usability.



- 1**  
**LOCKRING FOR SAFETY**  
Securely fastened to the handlebar with a lock system makes the ride safer.
- 2**  
**DUAL LAYER**  
The grip has a harder inner core but softer outer layer for maximum comfort.
- 3**  
**THE NAME LUNA**  
is referring to the thread pattern that resembles an imaginary lunar rover going around a distant moon somewhere.
- 4**  
**CLEVER FEATURES**  
The gradually grooved surface and deeper cuts in the forefinger area makes the rider feel the comfort and pressure release on the finger tips.
- 5**  
**PERSONALIZED LOGO**  
Possibility to customize the logo on the end-plug.



blue



black



green



white



silver



red



grey



gold



titanium

DISCOVER  
**LUNA LOCK**

Discover the full range  
on our website!



# CHAIN GUARDS

Chain guards have been in the Herrmans product portfolio for almost 30 years and we have been working with injection moulding for even longer, giving us extensive experience in material features, quality, production techniques and design. Bike chain guards not only fulfil a practical function, they are also a key design element on the bicycle. Lightweight, sporty, adjustable, modern or classic, the Herrmans bicycle chain guard range fits various bikes and crank sets, available both for standard bikes and e-bikes.

# THE MINIMALISTIC AND VERSATILE ONE

## HALO 38

Launched last year, this new minimalistic and sporty chain guard fits a 38-tooth chainring. This year we have continued the development of the chain guard and the collaboration with other prestigious European manufacturers, which means it can now be found as both matte and glossy, or be color matched with Selle Royal's saddles. It is adjustable between 325–440 mm, UV-resistant, has tool-free snap-on assembly/disassembly and easy fitting for standard bikes and the most common ebikes engines.


**SEVERAL BRACKETS**  
With several front and rear-fitting options suited for both standard and e-bikes, this is one very versatile chain guard.

**TAILPIECE**  
For length adjustment between 325–440 mm.



**TRENDS**  
Dual layer chain guard available in both glossy and matte.

**LIGHT WEIGHT LOOK**  
A see-through first layer that gives a lightweight look and a second layer that hides all the technical parts.

**SNAP ON FEATURES**  
The brilliance of the snap-it-on assembly means no tools are necessary to mount the chain guard on the bike.



SLYDE TECH

	
HALO	
Versions	Halo 38, adjustable, matte, Ø 125, 325–440 mm Halo 38, adjustable, glossy, Ø 125, 325–440 mm
Front Fitting	38 plastic single snap-in open, 38 plastic single snap-in semi closed, 38 Bosch Gen 3 snap-in, 38 STePS 8000/ Bafang MAX snap-in, 38 Yamaha snap-in, 38 StePS 6000 snap-in, CNG-FF 38T E5000 snap-in, CNG-FF 38T E6100 snap-in, CNG-FF 38T Bafang Modest&MaxDrive2 snap-in, CNG-FF 38T Bosch Gen3
Rear Fitting	long steel 87 mm, short steel 76 mm, steel 66mm, seat stay 57 mm, plastic cable tie 2, flat 57 mm
Features	for 38T chainring, dual layer, durable, UV-resistant
Colours	transparent/black transparent/silver transparent/white transparent/Kennebeck brown transparent/Renna brown transparent/Act.Text brown
	
SLIM	
Versions	Slim 38, adjustable, Ø 163, 325–440 mm Slim 48, adjustable, Ø 215 , 325–440 mm
Front Fitting	for 38T: 38 plastic single snap-in open, 38 plastic single snap-in semi closed, 38 Bosch Gen 3 snap-in, 38 STePS 8000/Bafang MAX snap-in, 38 Yamaha snap-in, 38 StePS 6000 snap-in; for 48T: 48 triple steel Ø 35 mm, CNG-FF 38T E5000 snap-in, CNG-FF 38T E6100 snap-in, CNG-FF 38T Bafang Modest&MaxDrive2 snap-in, CNG-FF 38T Bosch Gen3
Rear Fitting	long steel 87 mm, short steel 76 mm, steel 66 mm, seat post stay 57 mm, plastic cable tie 2; for 48T: long steel 87 mm, short steel 76 mm, steel 66 mm, seat post stay 57 mm, plastic cable tie 2
Features	for 38T: chainring, dual layer, durable, UV-resistant; for 48T: chainring, dual layer, durable, UV-resistant
Colours	transparent/black transparent/silver transparent/white
	
SLYDE	
Versions	B-Slyde 15–20, Ø 56, 300–400 mm Slyde 38, Ø 102 and Ø 108, 325–440mm Slyde 42–44, 140 Ø, 325–440 mm Slyde 48, 170 Ø, 325–440 mm
Front Fitting	15–20 Bosch gen 2 System compatible, CNG-FF 38T E5000, CNG-FF 38T E6100, CNG-FF 38T Bafang Modest&MaxDrive2, CNG-FF 42-44 E5000, , CNG-FF 42-44 E6100, , CNG-FF 42-44 Bafang Modest&MaxDrive2, CNG-FF 38T Bosch Gen3, CNG-FF 48T Bosch Gen4, CNG-FF 38T Bosch Gen4
Rear Fitting	long steel 87 mm, short steel 76 mm, steel 66 mm, seat post stay 57 mm, plastic cable tie 2
Features	for 15–20T chainring, for E-bike, durable, UV-resistant
Colours	matte black

FOR MORE CHAINGUARD OPTIONS PLEASE VISIT OUR WEBSITE [WWW.HERRMANS.EU](http://WWW.HERRMANS.EU)

CHAIN GUARD BRACKETS FOR E-BIKES

PART NO.	FRONT FITTING	SCREW	TYPE	AMOUNT
5104-0162	CNG-FF 38T E5000 snap-in	5101-0063	M4 x 6	2 pcs
5104-0162	CNG-FF 38T E6100 snap-in	5101-0039	M4 x 8	2 pcs
5104-0162	CNG-FF 38T Bafang Modest&MaxDrive2 snap-in	5101-0039	M4 x 8	3 pcs
5104-0167	CNG-FF 38T E5000	5101-0063	M4 x 6	2 pcs
5104-0167	CNG-FF 38T E6100	5101-0039	M4 x 8	2 pcs
5104-0167	CNG-FF 38T Bafang Modest&MaxDrive2	5101-0039	M4 x 8	3 pcs
5104-0168	CNG-FF 42-44T E5000	5101-0063	M4 x 6	2 pcs
5104-0168	CNG-FF 42-44T E6100	5101-0039	M4 x 8	2 pcs
5104-0168	CNG-FF 42-44T Bafang Modest&MaxDrive2	5101-0039	M4 x 8	3 pcs
5104-0164	CNG-FF 38T Bosch Gen3	5101-0062	M4 x 8	2 pcs
5104-0172	CNG-FF 38T Bosch Gen4 Snap-in	5101-0069	M6 x 10	3 pcs
5104-0173	CNG-FF 48T Bosch Gen4	5101-0069	M6 x 10	3 pcs
5104-0183	CNG-FF 38T Bosch Gen4	5101-0069	M6 x 10	3 pcs
5104-0184	CNG-FF 42-44T Bosch Gen4	5101-0069	M6 x 10	3 pcs
5051-0057	Plastic Frontfitting 15-20 Bosch 2014	5101-0059	M5x10 Taptite	3 pcs
5104-0101	Frontfitting 38 Shimano STePS E6000	5101-0025 5101-0039	BZ 4.2x9 M4x8	2pcs 3pcs
5104-0102	Frontfitting 42-44 Shimano STePS E6000	5101-0025 5101-0039	BZ 4.2x9 M4x8	2pcs 3pcs
5104-0138	CNG-FF 38T STEPS E6000 snap-in	5101-0070	M4x12	3 pcs
5104-0139	CNG-FF 38T Bosch Gen3 snap-in	5101-0062	M4x8 Taptite	2 pcs
5104-0140	CNG-FF 38T Steps E8000 snap-in	5101-0069	M6x10	3 pcs
5104-0140	CNG-FF 38T Bafang MAX snap-in	5101-0039	M4x8	3 pcs
5104-0141	CNG-FF 42-44T Bosch Gen3	5101-0062	M4x8 Taptite	2 pcs
5104-0151	CNG-FF 42-44T STEPS E8000	5101-0069	M6x10	3 pcs
5104-0151	CNG-FF 42-44T Bafang MAX	5101-0039	M4x8	3 pcs
5104-0158	CNG-FF 38T STEPS E8000	5101-0069	M6x10	3 pcs
5104-0158	CNG-FF 38T Bafang MAX	5101-0039	M4x8	3 pcs
4190-0099	Pset Chainguard front bracket 38T for Yamaha system	5101-0025 5101-0039 5101-0041	BZ 4.2x9 M4x8 M5x8	2pcs 2pcs 2pcs
4190-0100	Pset Chainguard front bracket 38T for Yamaha snap-in	5101-0039 5101-0041	M4x8 M5x8	2 pcs 2 pcs

CHAIN GUARD BRACKETS FOR STANDARD BIKES

PART NO.	FRONT FITTING	SCREW	TYPE	AMOUNT
5104-0012	Nexus front fitting black min 35mm KS33	5101-0025	BZ 4.2x9	2 pcs
5104-0025	Midnexus front fitting black 35 mm KS38 (TT543)	5101-0025	BZ 4.2x9	2 pcs
5104-0100	Midnexus front fitting 35 mm KS38 Economy	5101-0025	BZ 4.2x9	2 pcs
5104-0070	T-wave Triple 38 front fitting, black 40mm	5101-0025	BZ 4.2x9	2 pcs
5051-0066	CNG-FF 38T Single snap-in open black	N/A	N/A	N/A
5051-0070	CNG-FF 38T Single snap-in closed black	N/A	N/A	N/A
5051-0057	Plastic Front fitting 15-20 Bosch 2014	5101-0059	M5x10 Taptite	3 pcs
5104-0031	Nexus front fitting TR46-48	5101-0025	BZ 4.2x9	2 pcs
5104-0048	Nexus front fitting black max 35mm KS42-46 v2	5101-0025	BZ 4.2x9	2 pcs
5104-0087	Front fitting chainguard 42-44T black	5101-0025	BZ 4.2x9	2 pcs
5104-0105	T-wave front fitting 48 version 3 offset 5mm	5101-0041	M5x8	2 pcs
5104-0132	Front fitting 48T Triple Ø35mm	5101-0041	M5x8	2 pcs
5104-0055	T-wave front fitting 48 version 2	5101-0041	M5x8	2 pcs
4301-0026	Rear Fastener KS Metal 38 & 48		not provided	

# REFLECTORS

Herrmans is the leading bike reflector manufacturer in Europe, dedicated to producing approved bike reflectors in accordance with the many different European homologations, even the demanding E IV A. We also manufacture approved bicycle reflectors for China and India. Our product range covers spoke, front and rear reflectors, and thanks to many different bracket options, they can be fitted on many types of bicycles.

## HOMOLOGATIONS

	FRONT REFLECTORS	REAR REFLECTORS	SPOKE REFLECTORS
FINLAND	White E I A FR-1 FR-7 FR-8	Red E I A BR-7 BR-13 BR-8 BR-12	White E I A / Yellow E I A ER-8P Yellow ER-11P Yellow ER-11P White
FRANCE	White E I A FR-1 FR-7 FR-8	Red E I A BR-7 BR-13 BR-8 BR-12	Yellow TPL ER-11P Yellow
SWEDEN	White E IV A FR-1 FR-7 FR-8	Red E IV A BR-7 BR-8	Yellow E IV A ER-11P Yellow
UNITED KINGDOM	White BS FR-1 FR-7 FR-8	Red BS BR-7 BR-8	White BS ER-11P White
AUSTRIA GERMANY SWITZERLAND	White K FR-1 FR-7 FR-8	Red K Red Z BR-7 BR-13 BR-8 BR-12	Yellow K / 2 per wheel ER-8P Yellow
REST OF EUROPE	White FR-1 FR-7 FR-8	Red BR-7 BR-13 BR-8 BR-12	Yellow ER-8P Yellow ER-11P Yellow
CHINA INDIA	GB / ISO FR-7	GB / ISO BR-7	GB / ISO ER-11P Yellow

## BRACKET OPTIONS FOR FRONT & REAR REFLECTORS

FR/BR-8 screwback 50-80 mm	FR/BR-8 integrated screws 19 mm	FR/BR-8 integrated screws 50 or 80 mm	Rear reflector BR-12 int. screws 50 mm	FR-1 integrated screw 19 mm	snap-in rails bracket 50 mm	snap-in rails bracket 50 mm	Rear reflector BR-13 for mudguard

## BRACKET OPTIONS FOR FR-7 & BR-7

bracket for stem (FR-7) or seatpost (BR-7)	oversize bracket for handlebar	bracket for handlebar	snap-in plastic bracket for V-brakes above	plastic combined screw and snap-in bracket	for mudguards	rails-bracket snap-in
snap-in bracket FA	snap-in bracket FU	snap-in bracket RA	snap-in bracket RUL			

# RIM TAPES

The rim tape, created to prevent spokes and sharp edges from the manufacturing process from making holes in the inner bike tire, was the first product in the Herrmans product range and introduced on the market as early as 1959. Today Herrmans is the leading rim tape manufacturer in the world with a collection that encompasses several levels of pressure requirements and different types of wheels. We offer blue HPA+ with Wing Technology for easy mounting and perfect positioning on rims from 25 mm and upwards. The yellow HPP with W-tech is extremely light and has a very high pressure resistance. HPM is the durable blue rim tape with improved pinch resistance. We are also well prepared for a more tubeless future.

# RIM TAPES

## HPM

Rim dimensions	Widths
305/16"	20 mm
355/18"	12 mm
406/20"	12, 14, 16, 18, 20 mm
451/20"	18, 20 mm
451–484/20–22"	16 mm
490/22"	16 mm
507/24"	12, 14, 16, 18, 20 mm
540/24"	14, 16, 18, 20 mm
559/26"	11, 12, 14, 16, 18, 20 mm
559–622/26–28"	12, 14, 16, 18, 20 mm
622–635/28"	11, 12, 14, 16, 18, 20 mm

**Info:** max. pressure 6 bar/87 ps  
**Features:** improved pinch resistance, durable



## HPA+

Rim dimensions	Widths
584/27,5"	25, 30, 35 mm
622/29"	25, 30, 35 mm

**Info:** max. pressure 6 bar/87 psi  
**Features:** wing technology, improved pinch resistance, durable, easy to mount on rim



## HPP

Rim dimensions	Widths
559/26"	16, 18, 20, 22 mm
622/28"	16, 18, 20, 22 mm
584/27.5"	16, 18, 20, 22 mm

**Info:** max. pressure 8 bar/116 psi  
**Features:** wing technology, improved pinch resistance, durable, easy to mount on rim



ASK US ABOUT  
**AFTER-MARKET**  
AND **PRIVATE LABEL**  
**PRODUCTS**  
AS WELL AS OUR  
**ACCESSORIES.**

**SUBSCRIBE TO  
OUR NEWSLETTER**





We look forward hearing from you!

[www.herrmans.eu](http://www.herrmans.eu)

phone +358 20 1345 100

contact [bike.info@herrmans.eu](mailto:bike.info@herrmans.eu)

orders [orders.fi@herrmans.eu](mailto:orders.fi@herrmans.eu)

 [facebook.com/HerrmansTM](https://facebook.com/HerrmansTM)

 [instagram.com/herrmans.ltd](https://instagram.com/herrmans.ltd)

 [linkedin.com/company/Herrmans](https://linkedin.com/company/Herrmans)



#### HEAD OFFICE FINLAND

P.O. Box 36  
68601 Jakobstad  
Finland  
Phone +358 20 1345 100

#### OFFICE GERMANY

Wilhelmstraße 5  
59439 Holzwickede  
Germany  
Phone +49 2301 919 787 10

#### OFFICE TAIWAN

No. 14 Zhenxing West St., Wufeng District,  
Taichung City, Taiwan 413  
HERRMANS  
台灣413 台中市霧峰區 振興西街14號